

**SECTION I - GENERAL INFORMATION**

Manufacturer:

Lamson Oil Company  
2511 20th Street  
Rockford, IL 61104

Date Prepared: October 25, 2011  
Revised By: Safety Department  
Telephone Number for Information: (815)226-8090  
Fax Number for Information: (815)226-9250  
Emergency Number (Chemtrec): (800)424-9300

Chemtrec is to be used only in the event of chemical emergencies involving a spill, leak, fire, exposure, or accident involving chemicals.

HAZARD RATING, HMIS SYSTEM, VALUES      NOTE: Hazard Ratings Based On:      4 = Severe  
Health = 1      3 = Serious  
Flammability = 1      2 = Moderate  
Reactivity = 0      1 = Slight  
0 = Minimal

**SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION**

Hazardous Components (Chemicals & Common Names)	CAS #	OSHA PEL	ACGIH TLV	LD 50	Other
----------------------------------------------------	-------	----------	-----------	-------	-------

Chlorinated Paraffin	63449-39-8	NE	NE		Mfr: 5 mg/M <sup>3</sup>
----------------------	------------	----	----	--	--------------------------

Chlorinated Paraffins are a class of compounds that are similarly manufactured but which vary in molecular structure by carbon chain length and degree of chlorination. This particular product has not been shown to have adverse health effects. While tests have been conducted by the National Toxicology Program on other specific chlorinated paraffins, the relevance of these studies to this particular material, if any, has not been determined.

Please observe TLV of 5 mg/M<sup>3</sup> for oil mist.

**SECTION III - PHYSICAL, CHEMICAL CHARACTERISTICS**

Boiling Point: >500 °F  
Specific Gravity (Water = 1): 0.95  
Vapor Pressure (mm HG): <1  
Melting Point: Not Applicable  
Vapor Density (Air=1): >5  
Evaporation Rate (butyl Acetate=1): <0.1  
Solubility in Water: Emulsifies  
Reactivity in Water: NIL  
Appearance and Odor: Light amber, clear liquid



Product Name: Formall 2305

**SECTION VIII - CONTROL MEASURES**

Respiratory Protection: Use NIOSH approved respirator when airborne exposure limits are exceeded.

Ventilation: Local Exhaust: Usually sufficient. Special: Not applicable  
General Exhaust: Preferred Other: Not applicable

Protective Gloves: Gloves, (Solvent resistant (Prolonged contact))

Eye Protection: Safety Goggles

Other Protective Clothing or Equipment:

Apron if exposed continuously to fluid or mist.

**SECTION IX - REGULATORY STATUS**

This product contains the following chemical(s) that are reportable under SARA section 313.

Component	CAS #	%
-----------	-------	---

None

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL: ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL WARRANTIES OF EVERY KIND AND NATURE, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. APPROPRIATE WARNINGS AND SAFE HANDLING PROCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS.